Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara

Associate Editors

C. R. Cantor
V. Luzzati
J. H. Miller
M. F. Moody

Volume 184

5 July to 20 August 1985

ACADEMIC PRESS

(Harcourt Brace Jovanovich, Publishers)

London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1985, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 184

Number 1, 5 July 1985

Dairi, T., Inokuchi, K., Mizuno, T. and Mizushima, S., Positive Control of Transcription Initiation in *Escherichia coli*. A Base Substitution at the Pribnow Box Renders *ompF* Expression Independent of a Positive Regulator 1

Hess, J., Perez-Stable, C., Wu, G. J., Weir, B., Tinoco, I., Jr and Shen, C.-K. J., End-to-end Transcription of an *Alu* Family Repeat. A New Type of Polymerase-III-dependent Terminator and its Evolutionary Implication 7

Takebe, Y., Miura, A., Bedwell, D. M., Tam, M. and Nomura, M., Increased Expression of Ribosomal Genes During Inhibition of Ribosome Assembly in *Escherichia coli* 23

Mayaux, J.-F., Fayat, G., Panvert, M., Springer, M., Grunberg-Manago, M. and Blanquet, S., Control of Phenylalanyl-tRNA Synthetase Genetic Expression. Site-directed Mutagenesis of the *pheS, T* Operon Regulatory Region *in Vitro* 31

Kitani, T., Yoda, K., Ogawa, T. and Okazaki, T., Evidence that Discontinuous DNA Replication in *Escherichia coli* is Primed by Approximately 10 to 12 Residues of RNA Starting with a Purine 45

Expert-Bezançon, A. and Wollenzien, P. L., Three-dimensional Arrangement of the *Escherichia coli* 16 S Ribosomal RNA 53

Wollenzien, P. L., Murphy, R. F., Cantor, C. R., Expert-Bezançon, A. and Hayes, D. H., Structure of the *Escherichia coli* 16 S Ribosomal RNA. Psoralen Crosslinks and *N*-acetyl-*N'*-(*p*-glyoxylylbenzoyl)cystamine Crosslinks Detected by Electron Microscopy 67

Baker, T. S., Sosinsky, G. E., Caspar, D. L. D., Gall, C. and Goodenough, D. A., Gap Junction Structures. VII. Analysis of Connexon Images Obtained with Cationic and Anionic Negative Stains 81

von Heijne, G., Signal Sequences. The Limits of Variation 99

Romby, P., Giegé, R., Houssier, C. and Grosjean, H., Anticodon–Anticodon Interactions in Solution. Studies of the Self-association of Yeast or *Escherichia coli* $tRNA^{Asp}$ and of their Interactions with *Escherichia coli* $tRNA^{Val}$ 107

Westhof, E., Dumas, P. and Moras, D., Crystallographic Refinement of Yeast Aspartic Acid Transfer RNA 119

Honzatko, R. B., Hendrickson, W. A. and Love, W. E., Refinement of a Molecular Model for Lamprey Hemoglobin from *Petromyzon marinus* 147

Leroy, J.-L., Broseta, D. and Guéron, M., Proton Exchange and Base-pair Kinetics of Poly(rA) · poly(rU) and Poly(rI) · poly(rC) 165

Letter to the Editor

Ammon, H. L., Murphy, K. C., Chandrasekhar, K. and Wlodawer, A., Preliminary Crystallographic Study of an L-Asparaginase from *Vibrio succinogenes* . . . 179

Number 2, 20 July 1985

Stroke, I. L. and Weiner, A. M., Genes and Pseudogenes for Rat U3A and U3B Small Nuclear RNA 183

Margot, J. B. and Hardison, R. C., DNase I and Nuclease S_1 Sensitivity of the Rabbit β1 Globin Gene in Nuclei and in Supercoiled Plasmids 195

Abremski, K. and Hoess, R., Phage P1 Cre-*loxP* Site-specific Recombination. Effects of DNA Supercoiling on Catenation and Knotting of Recombinant Products . . . 211

Martin, P. F., Place, A. R., Pentz, A. and Sofer, W., UGA Nonsense Mutation in the Alcohol Dehydrogenase Gene of *Drosophila melanogaster* 221

Makino, K., Shinagawa, H. and Nakata, A., Regulation of the Phosphate Regulon of *Escherichia coli* K-12: Regulation and Role of the Regulatory Gene *phoR* . . . 231

Amemura, M., Makino, K., Shinagawa, H., Kobayashi, A. and Nakata, A., Nucleotide Sequence of the Genes Involved in Phosphate Transport and Regulation of the Phosphate Regulon in *Escherichia coli* 241

Vengerov, Y. Y., Semenov, T. E., Streltsov, S. A., Makarov, V. L., Khorlin, A. A. and Gursky, G. V., Triple Rings: A New Type of Compact Structure of Circular DNA . 251

Schirmer, T., Bode, W., Huber, R., Sidler, W. and Zuber, H., X-ray Crystallographic Structure of the Light-harvesting Biliprotein C-Phycocyanin from the Thermophilic Cyanobacterium *Mastigocladus laminosus* and its Resemblance to Globin Structures . 257

Carter, D. C., Melis, K. A., O'Donnell, S. E., Burgess, B. K., Furey, W. F. Jr, Wang, B.-C. and Stout, C. D., Crystal Structure of *Azotobacter* Cytochrome c_5 at 2·5 Å Resolution 279

Bennett, P., Starr, R., Elliott, A. and Offer, G., The Structure of C-protein and X-protein Molecules and a Polymer of X-protein 297

Katz, B. A., Ollis, D. and Wyckoff, H. W., Low Resolution Crystal Structure of Muconolactone Isomerase. A Decamer with a 5-fold Symmetry Axis 311

Shimada, J. and Yamakawa, H., Statistical Mechanics of DNA Topoisomers. The Helical Worm-like Chain 319

Mitchinson, C. and Pain, R. H., Effects of Sulphate and Urea on the Stability and Reversible Unfolding of β-Lactamase from *Staphylococcus aureus*. Implications for the Folding Pathway of β-Lactamase 331

Letters to the Editor

Raftery, L. A. and Yarus, M., Site-specific Mutagenesis of *Escherichia coli gltT* Yields a Weak, Glutamic Acid-inserting Ochre Suppressor 343

Grange, T., Guénet, C., Dietrich, J. B., Chasserot, S., Fromont, M., Befort, N., Jami, J., Beck, G. and Pictet, R., Complete Complementary DNA of Rat Tyrosine Aminotransferase Messenger RNA. Deduction of the Primary Structure of the Enzyme 347

Announcement 351

Number 3, 5 August 1985

Lang, B. F., Ahne, F. and Bonen, L., The Mitochondrial Genome of the Fission Yeast *Schizosaccharomyces pombe*. The Cytochrome *b* Gene has an Intron Closely Related to the First Two Introns in the *Saccharomyces cox*1 Gene 353

Müller, G., Scherer, G., Zentgraf, H., Ruppert, S., Herrmann, B., Lehrach, H. and Schütz, G., Isolation, Characterization and Chromosomal Mapping of the Mouse Tyrosine Aminotransferase Gene 367

Kunes, S., Botstein, D. and Fox, M. S., Transformation of Yeast with Linearized Plasmid DNA. Formation of Inverted Dimers and Recombinant Plasmid Products . 375

Yang-Yen, H.-F., Subrahmanyam, C. S., Cassidy, B. and Rothblum, L. I., Characterization of Rat Ribosomal DNA II. Identification of the Highly Repetitive DNA in the 3′ Non-transcribed Spacer 389

Yi, Q.-M., Rockenbach, S., Ward, J. E. Jr and Lutkenhaus, J., Structure and Expression of the Cell Division Genes *ftsQ*, *ftsA* and *ftsZ* 399

Collins, R. A. and Lambowitz, A. M., RNA Splicing in *Neurospora* Mitochondria. Defective Splicing of Mitochondrial mRNA Precursors in the Nuclear Mutant *cyt18-1*. 413

Crowther, R. A., Padrón, R. and Craig, R., Arrangement of the Heads of Myosin in Relaxed Thick Filaments from Tarantula Muscle 429

Roe, J.-H., Burgess, R. R. and Record, M. T. Jr, Temperature Dependence of the Rate Constants of the *Escherichia coli* RNA Polymerase–λP_R Promoter Interaction. Assignment of the Kinetic Steps Corresponding to Protein Conformational Change and DNA Opening 441

Romby, P., Moras, D., Bergdoll, M., Dumas, P., Vlassov, V. V., Westhof, E., Ebel, J. P. and Giegé, R., Yeast $tRNA^{Asp}$ Tertiary Structure in Solution and Areas of Interaction of the tRNA with Aspartyl-tRNA Synthetase. A Comparative Study of the Yeast Phenylalanine System by Phosphate Alkylation Experiments with Ethylnitrosourea 455

Hulmes, D. J. S., Holmes, D. F. and Cummings, C., Crystalline Regions in Collagen Fibrils 473

Fujinaga, M., Delbaere, L. T. J., Brayer, G. D. and James, M. N. G., Refined Structure of α-Lytic Protease at 1·7 Å Resolution. Analysis of Hydrogen Bonding and Solvent Structure 479

Gilson, M. K., Rashin, A., Fine, R. and Honig, B., On the Calculation of Electrostatic Interactions in Proteins. 503

Appendix: Electrostatic Forces in a Spherical Dielectric Cavity 515

Prouty, M. S., Schechter, A. N. and Parsegian, V. A., Chemical Potential Measurements of Deoxyhemoglobin S Polymerization. Determination of the Phase Diagram of an Assembling Protein 517

Letters to the Editor

Matsui, M., Oka, A., Takanami, M., Yasuda, S. and Hirota, Y., Sites of *dnaA* Protein-binding in the Replication Origin of the *Escherichia coli* K-12 Chromosome 529

Walker, M., Knight, P. and Trinick, J., Negative Staining of Myosin Molecules . 535

Milam, L. M., Electron Microscopy of Rotary Shadowed Vinculin and Vinculin Complexes 543

Number 4, 20 August 1985

Jubier-Maurin, V., Dod, B. J., Bellis, M., Piechaczyk, M. and Roizes, G., Comparative Study of the L1 Family in the Genus *Mus*. Possible Role of Retroposition and Conversion Events in its Concerted Evolution 547

Ainley, W. M., Macreadie, I. G. and Butow, R. A., *var1* Gene on the Mitochondrial Genome of *Torulopsis glabrata* 565

Wood, R. D., Pyrimidine Dimers are not the Principal Pre-mutagenic Lesions Induced in Lambda Phage DNA by Ultraviolet Light 577

Borowiec, J. A. and Gralla, J. D., Supercoiling Response of the *lac* p^s Promoter *in Vitro* 587

Daniels, D. W. and Bertrand, K. P., Promoter Mutations Affecting Divergent Transcription in the Tn*10* Tetracycline Resistance Determinant 599

Banville, D. and Williams, J. G., Developmental Changes in the Pattern of Larval β-Globin Gene Expression in *Xenopus laevis*. Identification of Two Early Larval β-Globin mRNA Sequences 611

Yamaguchi, M., Izumimoto, M., Robson, R. M. and Stromer, M. H., Fine Structure of Wide and Narrow Vertebrate Muscle Z-lines. A Proposed Model and Computer Simulation of Z-line Architecture 621

Appendix: Yamaguchi, M., Hirai, Y., Hage, A., Kamisoyama, H. and Anderson, W. D., Small Square (SS) Net Structure of the Narrow Z-line 644

Khan, S., Meister, M. and Berg, H. C., Constraints on Flagellar Rotation . . . 645

Appendix 656

Han, S., Udvardy, A. and Schedl, P., *Neurospora crassa* and S_1 Nuclease Cleavage in hsp 83 Gene Chromatin 657

Booy, F. P., Ruigrok, R. W. H. and van Bruggen, E. F. J., Electron Microscopy of Influenza Virus. A Comparison of Negatively Stained and Ice-embedded Particles . 667

Walker, J. E., Fearnley, I. M., Gay, N. J., Gibson, B. W., Northrop, F. D., Powell, S. J., Runswick, M. J., Saraste, M. and Tybulewicz, V. L. J., Primary Structure and Subunit Stoichiometry of F_1–ATPase from Bovine Mitochondria 677

Tsukada, H. and Blow, D. M., Structure of α-Chymotrypsin Refined at 1·68 Å Resolution 703

Hoffmann, W., Franz, J. K. and Franke, W. W., Amino Acid Sequence Microheterogeneities of Basic (Type II) Cytokeratins of *Xenopus laevis* Epidermis and Evolutionary Conservativity of Helical and Non-helical Domains 713

Sancar, A., Franklin, K. A., Sancar, G. and Tang, M.-s., Repair of Psoralen and Acetylaminofluorene DNA Adducts by ABC Excinuclease 725

Letters to the Editor

Ikeda, T., Asakura, S. and Kamiya, R., "Cap" on the Tip of *Salmonella* Flagella . 735

Weaver, L. H., Rennell, D., Poteete, A. R. and Matthews, B. W., Structure of Phage P22 Gene *19* Lysozyme Inferred from its Homology with Phage T4 Lysozyme. Implications for Lysozyme Evolution 739

Index to Volume 184

ABC excinuclease repair of psoralen and acetylaminofluorene DNA adducts, 725

Abremski, K. & Hoess, R., Phage P1 Cre-*loxP* site-specific recombination. Effects of DNA supercoiling on catenation and knotting of recombinant products, 211

Acetylaminofluorene DNA adducts, repair by ABC excinuclease, 725

Adducts, psoralen and acetylaminofluorene DNA, repair by ABC excinuclease, 725

Ahne, F. (see also Lang, B. F.), 353

Ainley, W. M., Macreadie, I. G. & Butow, R. A., *var1* gene on the mitochondrial genome of *Torulopsis glabrata*, 565

Alcohol dehydrogenase gene of *Drosophila melanogaster*, UGA nonsense mutation, 221

Alu family repeat, end-to-end transcription; a new type of polymerase-III-dependent terminator and its evolutionary implication, 7

Amemura, M., Makino, K., Shinagawa, H., Kobayashi, A. & Nakata, A., Nucleotide sequence of the genes involved in phosphate transport and regulation of the phosphate regulon in *Escherichia coli*, 241

Amino acid sequence microheterogeneities of basic (type II) cytokeratins of *Xenopus laevis* epidermis and evolutionary conservativity of helical and non-helical domains, 713

Ammon, H. L., Murphy, K. C., Chandrasekhar, K. & Wlodawer, A., Preliminary crystallographic study of an L-asparaginase from *Vibrio succinogenes*, 179

Anderson, W. D. (see also Yamaguchi, M.), 644

Anticodon-anticodon interactions in solution. Studies of the self-association of yeast or *Escherichia coli* $tRNA^{Asp}$ and of their interactions with *Escherichia coli* $tRNA^{Val}$, 107

Asakura, S. (see also Ikeda, T.), 735

L-Asparaginase from *Vibrio succinogenes*, preliminary crystallographic study, 179

Aspartic acid tRNA, yeast, crystallographic refinement, 119

Aspartyl-tRNA synthetase interaction with tRNA, and yeast $tRNA^{Asp}$ tertiary structure in solution. Comparative study of yeast phenylalanine system by phosphate alkylation experiments with ethylnitrosourea, 455

Assembly of ribosomes in *Escherichia coli*, increased expression of ribosomal genes during inhibition, 23

Bacteriophage P1 Cre-*loxP* site-specific recombination. Effects of DNA supercoiling on catenation and knotting of recombinant products, 211

Baker, T. S., Sosinsky, G. E., Caspar, D. L. D., Gall, C. & Goodenough, D. A., Gap junction structures. VII. Analysis of connexon images obtained with cationic and anionic negative stains, 81

Banville, D. & Williams, J. G., Developmental changes in the pattern of larval β-globin gene expression in *Xenopus laevis*. Identification of two early larval β-globin mRNA sequences, 611

Base-pair kinetics and proton exchange of poly(rA)·poly(rU) and poly(rI)·(rC), 165

Beck, G. (see also Grange, T.), 347

Bedwell, D. M. (see also Takebe, Y.), 23

Befort, N. (see also Grange, T.), 347

Bellis, M. (see also Jubier-Maurin, V.), 547

Bennett, P., Starr, R., Elliott, A. & Offer, G., The structure of C-protein and X-protein molecules and a polymer of X-protein, 297

Berg, H. C. (see also Khan, S.), 645

Bergdoll, M. (see also Romby, P.), 455

Bertrand, K. P. (see also Daniels, D. W.), 599

β1 rabbit globin gene in nuclei and in supercoiled plasmids, DNase I and nuclease S_1 sensitivity, 195

Biliprotein C-phycocyanin from the thermophilic cyanobacterium *Mastigocladus laminosus*, X-ray crystallographic structure and its resemblance to globin structures, 257

Blanquet, S. (see also Mayaux, J.-F.), 31

Blow, D. M. (see also Tsukada, H.), 703

Bode, W. (see also Schirmer, T.), 257

Booy, F. P., Ruigrok, R. W. H. & Van Bruggen, E. F. J., Electron microscopy of influenza virus. A comparison of negatively stained and ice-embedded particles, 667

Bonen, L. (see also Lang, B. F.), 353

Borowiec, J. A. & Gralla, J. D., Supercoiling response of the *lac* p^s promoter *in vitro*, 587

Botstein, D. (see also Kunes, S.), 375

Bovine mitochondria, primary structure and subunit stoichiometry of F_1-ATPase, 677

Brayer, G. D. (see also Fujinaga, M.), 479

Broseta, D. (see also Leroy, J.-L.), 165

Burgess, B. K. (see also Carter, D. C.), 279

Burgess, R. R. (see also Roe, J.-H.), 441

Butow, R. A. (see also Ainley, W. M.), 565

Cantor, C. R. (see also Wollenzien, P. L.), 67

"Cap" on the tip of *Salmonella* flagella, 735

Carter, D. C., Melis, K. A., O'Donnell, S. E., Burgess, B. K., Furey, W. F., Jr, Wang, B.-C. & Stout, C. D., Crystal structure of *Azotobacter* cytochrome c_5 at 2·5 Å resolution, 279

Caspar, D. L. D. (see also Baker, T. S.), 81

Cassidy, B. (see also Yang-Yen, H.-F.), 389

Cell division genes *ftsQ*, *ftsA* and *ftsZ*, structure and expression, 399

Chandrasekhar, K. (see also Ammon, H. L.), 179

Chasserot, S. (see also Grange, T.), 347

Chemical potential measurements of deoxyhemoglobin S polymerization. Determination of the phase diagram of an assembling protein, 517

Chromatin of hsp 83 gene, *Neurospora crassa* and S_1 nuclease cleavage, 657

Chromosomal mapping of the mouse tyrosine aminotransferase gene, 367

Chromosome, *Escherichia coli* K-12, sites of *dnaA* protein-binding in the replication origin, 529

α-Chymotrypsin structure refined at 1·68 Å resolution, 703

Circular DNA: triple rings, a new type of compact structure, 251

Cleavage, *Neurospora crassa* and S_1 nuclease, in hsp 83 gene chromatin, 657

Collagen fibrils, crystalline regions, 473

Collins, R. A. & Lambowitz, A. M., RNA splicing in *Neurospora* mitochondria. Defective splicing of mitochondrial mRNA precursors in the nuclear mutant *cyt18-1*, 413

Connexon images obtained with cationic and anionic negative stains; gap junction structures, 81

*cox*1 gene of *Saccharomyces cerevisiae*, the first two introns are closely related to an intron in the cytochrome *b* gene of *Schizosaccharomyces pombe*, 353

C-phycocyanin from the thermophilic cyanobacterium *Mastigocladus laminosus*, X-ray crystallographic structure and its resemblance to globin structures, 257

C-protein and X-protein molecules and a polymer of X-protein; structure, 297

Craig, R. (see also Crowther, R. A.), 429

Cre-*loxP* site-specific recombination, phage P1. Effects of DNA supercoiling on catenation and knotting of recombinant products, 211

Crowther, R. A., Padrón, R. & Craig, R., Arrangement of the heads of myosin in relaxed thick filaments from tarantula muscle, 429

Crystal structure of *Azotobacter* cytochrome c_5 at 2·5 Å resolution, 279

Crystal structure, low resolution, of muconolactone isomerase; a decamer with a 5-fold symmetry axis, 311

Crystalline regions in collagen fibrils, 473

Crystallographic refinement of yeast aspartic acid tRNA, 119

Crystallographic study, preliminary, of an L-asparaginase from *Vibrio succinogenes*, 179

Cummings, C. (see also Hulmes, D. J. S.), 473

Cyanobacterium *Mastigocladus laminosus*, X-ray crystallographic structure of the biliprotein C-phycocyanin, and its resemblance to globin structures, 257

Cytochrome *b* gene of *Schizosaccharomyces pombe* has an intron closely related to the first two introns in the *Saccharomyces cerevisiae cox*1 gene, 353
Cytochrome c_5, *Azotobacter*, crystal structure at 2·5 Å resolution, 279
Cytokeratins, basic (type II), of *Xenopus laevis* epidermis, amino acid sequence microheterogeneities; evolutionary conservativity of helical and non-helical domains, 713
cyt18-1 nuclear mutant, defective splicing of mitochondrial mRNA precursors; RNA splicing in *Neurospora* mitochondria, 413

Dairi, T., Inokuchi, K., Mizuno, T. & Mizushima, S., Positive control of transcription initiation in *Escherichia coli*. A base substitution at the Pribnow box renders *ompF* expression independent of a positive regulator, 1
Daniels, D. W. & Bertrand, K. P., Promoter mutations affecting divergent transcription in the Tn*10* tetracycline resistance determinant, 599
Delbaere, L. T. J. (see also Fujinaga, M.), 479
Deoxyhemoglobin S polymerization, chemical potential measurements; determination of the phase diagram of an assembling protein, 519
DNA adducts, psoralen and acetylaminofluorene, repair by ABC excinuclease, 725
DNA, circular: triple rings, a new type of compact structure, 251
DNA, complementary, complete, of rat tyrosine aminotransferase mRNA. Deduction of the primary structure of the enzyme, 347
DNA discontinuous replication in *Escherichia coli* is primed by approximately 10 to 12 residues of RNA starting with a purine, 45
DNA, lambda phage, pyrimidine dimers are not the principal pre-mutagenic lesions induced by ultraviolet light, 577
DNA opening and protein conformational change, assignment of the corresponding kinetic steps; temperature dependence of the rate constants of the *Escherichia coli* RNA polymerase–λP_R promoter interaction, 441
DNA, plasmid, linearized, transformation of yeast. Formation of inverted dimers and recombinant plasmid products, 375
DNA supercoiling, effects on catenation and knotting of recombinant products; phage P1 Cre-*loxP* site-specific recombination, 211
DNA topoisomers, statistical mechanics. The helical worm-like chain, 319
DNA II, ribosomal, rat, characterization; identification of the highly repetitive DNA in the 3′ non-transcribed spacer, 389
dnaA protein-binding sites in the replication origin of the *Escherichia coli* K-12 chromosome, 529
DNase I and nuclease S_1 sensitivity of the rabbit β_1 globin gene in nuclei and in supercoiled plasmids, 195
Developmental changes in the pattern of larval β-globin gene expression in *Xenopus laevis*. Identification of two early larval β-globin mRNA sequences, 611
Dielectric spherical cavity, electrostatic forces, 515
Dietrich, J. B. (see also Grange, T.), 347
Dod, B. J. (see also Jubier-Maurin, V.), 547
Drosophila melanogaster, UGA nonsense mutation in the alcohol dehydrogenase gene, 221
Dumas, P. (see also Romby, P.), 455
Dumas, P. (see also Westhof, E.), 119

Ebel, J. P. (see also Romby, P.), 455
Electron microscopy of influenza virus. Comparison of negatively stained and ice-embedded particles, 667
Electron microscopy of rotary shadowed vinculin and vinculin complexes, 543
Electrostatic forces in a spherical dielectric cavity, 515
Electrostatic interactions in proteins; calculation, 503
Elliott, A. (see also Bennett, P.), 297
Epidermis, *Xenopus laevis*, amino acid sequence microheterogeneities of basic (type II) cytokeratins; evolutionary conservativity of helical and non-helical domains, 713
Escherichia coli, evidence that discontinuous DNA replication is primed by approximately 10 to 12 residues of RNA starting with a purine, 45
Escherichia coli gltT, site-specific mutagenesis yields a weak, glutamic acid-inserting ochre suppressor, 343
Escherichia coli, increased expression of ribosomal genes during inhibition of ribosome assembly, 23
Escherichia coli K-12 chromosome, sites of *dnaA* protein-binding in the replication origin, 529
Escherichia coli K-12, regulation of the phosphate regulon; regulation and role of the regulatory gene *phoR*, 231
Escherichia coli, nucleotide sequence of the genes involved in phosphate transport and regulation of the phosphate regulon, 241
Escherichia coli, positive control of transcription initiation; a base substitution at the Pribnow box renders *ompF* expression independent of a positive regulator, 1
Escherichia coli RNA polymerase–λP_R promoter interaction, temperature dependence of the rate constants. Assignment of the kinetic steps corresponding to protein conformational change and DNA opening, 441
Escherichia coli 16 S ribosomal RNA structure. Psoralen crosslinks and *N*-acetyl-*N*′-(*p*-glyoxylylbenzoyl)cystamine crosslinks detected by electron microscopy, 67
Escherichia coli 16 S ribosomal RNA, three-dimensional arrangement, 53
Escherichia coli or yeast $tRNA^{Asp}$, studies of self-association, and of their interactions with *Escherichia coli* $tRNA^{Val}$; anticodon–anticodon interactions in solution, 107
Ethylnitrosourea, in a comparative study of the yeast phenylalanine system by phosphate alkylation experiments, 455
Evolution of the L1 family in the genus *Mus*, 547
Evolutionary conservativity of helical and non-helical domains; amino acid sequence microheterogeneities of basic (type II) cytokeratins of *Xenopus laevis* epidermis, 713
Evolutionary implication of a new type of polymerase-III-dependent terminator; end-to-end transcription of an *Alu* family repeat, 7
Excinuclease, ABC, repair of psoralen and acetylaminofluorene DNA adducts, 725
Expert-Bezançon, A. & Wollenzien, P. L., Three-dimensional arrangement of the *Escherichia coli* 16 S ribosomal RNA, 53
Expert-Bezançon, A. (see also Wollenzien, P. L.), 67

F_1-ATPase from bovine mitochondria, primary structure and subunit stoichiometry, 677
Fayat, G. (see also Mayaux, J.-F.), 31
Fearnley, I. M. (see also Walker, J. E.), 677
Filaments, thick, relaxed, from tarantula muscle, arrangement of the heads of myosin, 429
Fine, R. (see also Gilson, M. K.), 503
Flagella, *Salmonella*, "cap" on the tip, 735
Flagellar rotation, constraints, 645
Folding pathway of β-lactamase; effects of sulphate and urea on the stability and reversible unfolding of β-lactamase from *Staphylococcus aureus*, 331
Fox, M. S. (see also Kunes, S.), 375
Franke, W. W. (see also Hoffmann, W.), 713
Franklin, K. A. (see also Sancar, A.), 725
Franz, J. K. (see also Hoffmann, W.), 713
Fromont, M. (see also Grange, T.), 347
ftsQ, *ftsA* and *ftsZ* cell division genes, structure and expression, 399
Fujinaga, M., Delbaere, L. T. J., Brayer, G. D. & James, M. N. G., Refined structure of α-lytic protease at 1·7 Å resolution. Analysis of hydrogen bonding and solvent structure, 479
Furey, W. F., Jr (see also Carter, D. C.), 279

Gall, C. (see also Baker, T. S.), 81
Gap junction structures. Analysis of connexon images obtained with cationic and anionic negative stains, 81
Gay, N. J. (see also Walker, J. E.), 677
Gene, alcohol dehydrogenase, of *Drosophila melanogaster*, UGA nonsense mutation, 221

Gene, β1 globin, rabbit, in nuclei and in supercoiled plasmids, DNase I and nuclease S_1 sensitivity, 195
Gene expression, β-globin, larval, in *Xenopus laevis*, developmental changes; identification of two early larval β-globin mRNA sequences, 611
Gene hsp 83 chromatin, *Neurospora crassa* and S_1 nuclease cleavage, 657
Gene *19* lysozyme, phage P22, structure inferred from homology with phage T4 lysozyme; implications for lysozyme evolution, 739
Gene *phoR*, regulation and role; regulation of the phosphate regulon of *Escherichia coli* K-12, 231
Gene, tyrosine aminotransferase, mouse; isolation, characterization and chromosomal mapping, 367
Gene *var1* on the mitochondrial genome of *Torulopsis glabrata*, 565
Genes, cell division, *ftsQ*, *ftsA* and *ftsZ*, structure and expression, 399
Genes involved in phosphate transport and regulation of the phosphate regulon in *Escherichia coli*; nucleotide sequences, 241
Genes and pseudogenes for rat U3A and U3B small nuclear RNA, 183
Genes, ribosomal, increased expression during inhibition of ribosome assembly in *Escherichia coli*, 23
Genetic expression control of phenylalanyl-tRNA synthetase. Site-directed mutagenesis of the *pheS*, *T* operon regulatory region *in vitro*, 31
Genome, mitochondrial, of the fission yeast *Schizosaccharomyces pombe*. The cytochrome *b* gene has an intron closely related to the first two introns in the *Saccharomyces cerevisiae cox*1 gene, 353
Gibson, B. W. (see also Walker, J. E.), 677
Giegé, R. (see also Romby, P.), 107, 455
Gilson, M. K., Rashin, A., Fine, R. & Honig, B., On the calculations of electrostatic interactions in proteins, 503
Globin β1 gene, rabbit, in nuclei and in supercoiled plasmids, DNase I and nuclease S_1 sensitivity, 195
Globin structures, resemblance to structure of biliprotein C-phycocyanin from the cyanobacterium *Mastigocladus laminosus*, 257
β-Globin gene expression, larval, in *Xenopus laevis*, developmental changes; identification of two early larval β-globin mRNA sequences, 611
gltT, *Escherichia coli*, site-specific mutagenesis yields a weak, glutamic acid-inserting ochre suppressor, 343
Glutamic acid-inserting ochre suppressor is yielded by site-specific mutagenesis of *Escherichia coli gltT*, 343
Goodenough, D. A. (see also Baker, T. S.), 81
Gralla, J. D. (see also Borowiec, J. A.), 587
Grange, T., Guénet, C., Dietrich, J. B., Chasserot, S., Fromont, M., Befort, N., Jami, J., Beck, G. & Pictet, R., Complete complementary DNA of rat tyrosine aminotransferase messenger RNA. Deduction of the primary structure of the enzyme, 347
Grosjean, H. (see also Romby, P.), 107
Grunberg-Manago, M. (see also Mayaux, J.-F.), 31
Guénet, C. (see also Grange, T.), 347
Guéron, M. (see also Leroy, J.-L.), 165
Gursky, G. V. (see also Vengerov, Y. Y.), 251

Hage, A. (see also Yamaguchi, M.), 644
Han, S., Udvardy, A. & Schedl, P., *Neurospora crassa* and S_1 nuclease cleavage in hsp 83 gene chromatin, 657
Hardison, R. C. (see Margot, J. B.), 195
Hayes, D. H. (see also Wollenzien, P. L.), 67
Head arrangement of myosin in relaxed thick filaments from tarantula muscle, 429
Heijne, G. Von, Signal sequences. The limits of variation, 99
Helical worm-like chain; statistical mechanics of DNA topoisomers, 319
Hemoglobin, lamprey, from *Petromyzon marinus*, refinement of a molecular model, 147
Henrickson, W. A. (see also Honzatko, R. B.), 147
Herrmann, B. (see also Müller, G.), 367
Hess, J., Perez-Stable, C., Wu, G. J., Weir, B., Tinoco, I., Jr. & Shen, C.-K. J., End-to-end transcription of an *Alu* family repeat. A new type of polymerase-III-dependent terminator and its evolutionary implication, 7
Highly repetitive DNA identification in the 3′ non-transcribed spacer; rat ribosomal DNA II, 389
Hirai, Y. (see also Yamaguchi, M), 644
Hirota, Y. (see also Matsui, M.), 529
Hoess, R. (see also Abremski, K.), 211
Hoffmann, W., Franz, J. K. & Franke, W. W., Amino acid sequence microheterogeneities of basic (type II) cytokeratins of *Xenopus laevis* epidermis and evolutionary conservativity of helical and non-helical domains, 713
Holmes, D. F. (see also Hulmes, D. J. S.), 473
Honig, B. (see also Gilson, M. K.), 503
Honzatko, R. B., Hendrickson, W. A. & Love, W. E., Refinement of a molecular model for lamprey hemoglobin from *Petromyzon marinus*, 147
Houssier, C. (see also Romby, P), 107
hsp 83 gene chromatin, *Neurospora crassa* and S_1 nuclease cleavage, 657
Huber, R. (see also Schirmer, T.), 257
Hulmes, D. J. S., Holmes, D. F. & Cummings, C., Crystalline regions in collagen fibrils, 473
Hydrogen bonding and solvent structure, analysis; refined structure of α-lytic protease at 1·7 Å resolution, 479

Ice-embedding and negative staining compared in electron microscopy of influenza virus, 667
Ikeda, T., Asakura, S. & Kamiya, R., "Cap" on the tip of *Salmonella* flagella, 735
Influenza virus, electron microscopy; comparison of negatively stained and ice-embedded particles, 667
Inokuchi, K. (see also Dairi, T.), 1
Inverted dimer and recombinant plasmid products formation in transformation of yeast with linearized plasmid DNA, 375
Izumimoto, M. (see also Yamaguchi, M.), 621

James, M. N. G. (see also Fujinaga, M.), 479
Jami, J. (see also Grange, T.), 347
Jubier-Maurin, V., Dod, B. J., Bellis, M., Piechaczyk, M. & Roizes, G., Comparative study of the L1 family in the genus *Mus*. Possible role of retroposition and conversion events in its concerted evolution, 547

Kamisoyama, H. (see also Yamaguchi, M.), 644
Kamiya, R. (see also Ikeda, T.), 735
Katz, B. A., Ollis, D. & Wyckoff, H. W., Low resolution crystal structure of muconolactone isomerase. A decamer with a 5-fold symmetry axis, 311
Khan, S., Meister, M. & Berg, H. C., Constraints on flagellar rotation, 645
Khorlin, A. A. (see also Vengerov, Y. Y.), 251
Kinetic steps corresponding to protein conformational change and DNA opening; temperature dependence of the rate constants of the *Escherichia coli* RNA polymerase–λP_R promoter interaction, 441
Kitani, T., Yoda, K., Ogawa, T. & Okazaki, T., Evidence that discontinuous DNA replication in *Escherichia coli* is primed by approximately 10 to 12 residues of RNA starting with a purine, 45
Knight, P. (see also Walker, M.), 635
Knotting of recombinant products, effects of DNA supercoiling; phage P1 Cre-*loxP* site-specific recombination, 211
Kobayashi, A. (see also Amemura, M.), 241
Kunes, S., Botstein, D. & Fox, M. S., Transformation of yeast with linearized plasmid DNA. Formation of inverted dimers and recombinant plasmid products, 375

L1 family in the genus *Mus*, a comparative study; possible role of retroposition and conversion events in its concerted evolution, 547
lac p^s promoter, supercoiling response *in vitro*, 587
β-Lactamase from *Staphylococcus aureus*, effects of sulphate and urea on the stability and reversible unfolding; implications for the folding pathway of β-lactamase, 331

Lambowitz, A. M. (see also Collins, R. A.), 413
λ (see also Phage), 577
λP_R–RNA polymerase interaction, temperature dependence of the rate constants; assignment of kinetic steps corresponding to protein conformational change and DNA opening, 441
Lamprey hemoglobin from *Petromyzon marinus*, refinement of a molecular model, 147
Lang, B. F., Ahne, F. & Bonen, L., The mitochondrial genome of the fission yeast *Schizosaccharomyces pombe*. The cytochrome *b* gene has an intron closely related to the first two introns in the *Saccharomyces cerevisiae cox*1 gene, 353
Larval β-globin gene expression in *Xenopus laevis*, developmental changes. Identification of two early larval β-globin mRNA sequences, 611
Lehrach, H. (see also Müller, G.), 367
Leroy, J.-L., Broseta, D. & Guéron, M., Proton exchange and base-pair kinetics of poly(rA)·poly(rU) and poly(rI)·poly(rC), 165
Love, W. E. (see also Honzatko, R. B.), 147
Lutkenhaus, J. (see also Yi, Q.-M.), 399
Lysozyme evolution; structure of phage P22 gene *19* lysozyme inferred from homology with phage T4 lysozyme, 739
Lysozyme, gene *19*, phage P22, structure inferred from homology with phage T4 lysozyme; implications for lysozyme evolution, 739
α-Lytic protease, refined structure at 1·7 Å resolution; analysis of hydrogen bonding and solvent structure, 479

Macreadie, I. G. (see also Ainley, W. M.), 565
Makarov, V. L. (see also Vengerov, Y. Y.), 251
Makino, K., Shinagawa, H. & Nakata, A., Regulation of the phosphate regulon of *Escherichia coli* K-12: regulation and role of the regulatory gene *phoR*, 231
Makino, K. (see also Amemura, M.), 241
Margot, J. B. & Hardison, R. C., DNase I and nuclease S_1 sensitivity of the rabbit β1 globin gene in nuclei and in supercoiled plasmids, 195
Martin, P. F., Place, A. R., Pentz, E. & Sofer, W., UGA nonsense mutation in the alcohol dehydrogenase gene of *Drosophila melanogaster*, 221
Mastigocladus laminosus, X-ray crystallographic structure of the biliprotein C-phycocyanin and its resemblance to globin structures, 257
Matsui, M., Oka, A., Takanami, M., Yasuda, S. & Hirota, Y., Sites of *dnaA* protein-binding in the replication origin of the *Escherichia coli* K-12 chromosome, 529
Matthews, B. W. (see also Weaver, L. H.), 739
Mayaux, J.-F., Fayat, G., Panvert, M., Springer, M., Grunberg-Manago, M. & Blanquet, S., Control of phenylalanyl-tRNA synthetase genetic expression. Site-directed nutagenesis of the *pheS*, *T* operon regulatory region *in vitro*, 31
Meister, M. (see also Khan, S.), 645
Melis, K. A. (see also Carter, D. C.), 279
mRNA precursors, mitochondrial, defective splicing in the nuclear mutant *cyt18-1*; RNA splicing in *Neurospora* mitochondria, 413
Messenger RNA, rat tyrosine aminotransferase, complete complementary DNA; deduction of the primary structure of the enzyme, 347
mRNA sequences, β-globin, larval, early, identification; developmental changes in the pattern of larval β-globin gene expression in *Xenopus laevis*, 611
Microheterogeneities, amino acid sequence, of basic (type II) cytokeratins of *Xenopus laevis* epidermis and evolutionary conservativity of helical and non-helical domains, 713
Milam, L. M., Electron microscopy of rotary shadowed vinculin and vinculin complexes, 543
Mitchinson, C. & Pain, R. H., Effects of sulphate and urea on the stability and reversible unfolding of β-lactamase from *Staphylococcus aureus*. Implications for the folding pathway of β-lactamase, 331
Mitochondria, bovine, primary structure and subunit stoichiometry of F_1-ATPase, 677
Mitochondria, *Neurospora*, RNA splicing; defective splicing of mitochondrial mRNA precursors in the nuclear mutant *cyt18-1*, 413
Mitochondrial genome of the fission yeast *Schizosaccharomyces pombe*. The cytochrome *b* gene has an intron closely related to the first two introns in the *Saccharomyces cerevisiae cox*1 gene, 353
Mitochondrial genome of *Torulopsis glabrata, var1* gene, 565
Miura, A. (see also Takebe, Y.), 23
Mizuno, T. (see also Dairi, T.), 1
Mizushima, S. (see also Dairi, T.), 1
Molecular model refinement for lamprey hemoglobin from *Petromyzon marinus*, 147
Moras, D. (see also Romby, P.), 455
Moras, D. (see also Westhof, E.), 119
Mouse tyrosine aminotransferase gene, isolation, characterization and chromosomal mapping, 367
Muconolactone isomerase, low resolution crystal structure; a decamer with a 5-fold symmetry axis, 311
Müller, G., Scherer, G., Zentgraf, H., Ruppert, S., Herrmann, B., Lehrach, H. & Schütz, G., Isolation, characterization and chromosomal mapping of the mouse tyrosine aminotransferase gene, 367
Murphy, K. C. (see also Ammon, H. L.), 179
Murphy, R. F. (see also Wollenzien, P. L.), 67
Mus genus, comparative study of the L1 family; possible role of retroposition and conversion events in its concerted evolution, 547
Muscle, tarantula, arrangement of the heads of myosin in relaxed thick filaments, 429
Muscle, vertebrate, Z-lines, fine structure. Model and computer simulation of Z-line architecture, 621
Mutagenesis: pyrimidine dimers are not the principal pre-mutagenic lesions induced in lambda phage DNA by ultraviolet light, 577
Mutagenesis, site-directed, of the *pheS*, *T* operon regulatory region *in vitro*; control of phenylalanyl-tRNA synthetase genetic expression, 31
Mutagenesis, site-specific, of *Escherichia coli gltT* yields a weak, glutamic acid-inserting ochre suppressor, 343
Mutant, nuclear, *cyt18-1*, defective splicing of mitochondrial mRNA precursors; RNA splicing in *Neurospora* mitochondria, 413
Mutation, nonsense, UGA, in the alcohol dehydrogenase gene of *Drosophila melanogaster*, 221
Mutations, promoter, affecting divergent transcription in the Tn*10* tetracycline resistance determinant, 599
Myosin molecules, negative staining, 535

N-acetyl-*N'*-(*p*-glyoxylylbenzoyl)cystamine crosslinks detected by electron microscopy. Structure of the *Escherichia coli* 16 S ribosomal RNA, 67
Nakata, A. (see also Amemura, M.), 241
Nakata, A. (see also Makino, K.), 231
Negative staining of myosin molecules, 535
Neurospora crassa and S_1 nuclease cleavage in hsp 83 gene chromatin, 657
Neurospora mitochondrial RNA splicing. Defective splicing of mitochondrial mRNA precursors in the nuclear mutant *cyt18-1*, 413
Nomura, M. (see also Takebe, Y.), 23
Nonsense mutation UGA in the alcohol dehydrogenase gene of *Drosophila melanogaster*, 221
Northrop, F. D. (see also Walker, J. E.), 677
Nuclease S_1 sensitivity of the rabbit β1 globin gene in nuclei and in supercoiled plasmids, 195
Nuclei, DNase I and nuclease S_1 sensitivity of the rabbit β1 globin gene, 195
Nucleotide sequence of the genes involved in phosphate transport and regulation of the phosphate regulon in *Escherichia coli*, 241

Ochre suppressor, weak, glutamic acid-inserting, is yielded by site-specific mutagenesis of *Escherichia coli gltT*, 343
O'Donnell, S. E. (see also Carter, D. C.), 279
Offer, G. (see also Bennett, P.), 297
Ogawa, T. (see also Kitani, T.), 45
Oka, A. (see also Matsui, M.), 529

Okazaki, T. (see also Kitani, T.), 45
Ollis, D. (see also Katz, B. A.), 311
ompF expression is rendered independent of a positive regulator by a base substitution at the Pribnow box; positive control of transcription initiation in *Escherichia coli*, 1

P1 (see also Bacteriophage), 211
P22 (see also Phage), 739
Padrón, R. (see also Crowther, R. A.), 429
Pain, R. H. (see also Mitchinson, C.), 331
Panvert, M. (see also Mayaux, J.-F.), 31
Parsegian, V. A. (see also Prouty, M. S.), 517
Pentz, E. (see also Martin, P. F.), 221
Perez-Stable, C. (see also Hess, J.), 7
Petromyzon marinus, refinement of a molecular model for lamprey hemoglobin, 147
Phage lambda DNA, pyrimidine dimers are not the principal pre-mutagenic lesions induced by ultraviolet light, 577
Phage P22 gene *19* lysozyme, structure inferred from homology with phage T4 lysozyme; implications for lysozyme evolution, 739
Phase diagram of an assembling protein; chemical potential measurements of deoxyhemoglobin S polymerization, 517
Phenylalanine system, yeast, a comparative study by phosphate alkylation experiments with ethylnitrosourea, 455
Phenylalanyl-tRNA synthetase genetic expression control. Site-directed mutagenesis of the *pheS*, *T* operon regulatory region *in vitro*, 31
pheS, *T* operon regulatory region, site-directed mutagenesis *in vitro*; control of phenylalanyl-tRNA synthetase genetic expression, 31
phoR gene, regulation and role; regulation of the phosphate regulon of *Escherichia coli* K-12, 231
Phosphate alkylation experiments with ethylnitrosourea, a comparative study of the yeast phenylalanine system, 455
Phosphate regulon of *Escherichia coli* K-12, regulation and role of the regulatory gene *phoR*, 231
Phosphate transport and regulation of the phosphate regulon in *Escherichia coli*, nucleotide sequence of the genes involved, 241
Pictet, R. (see also Grange, T.), 347
Piechaczyk, M. (see also Jubier-Maurin, V.), 547
Place, A. R. (see also Martin, P. F.), 221
Plasmid DNA, linearized, transformation of yeast. Formation of inverted dimers and recombinant plasmid products, 375
Plasmids, supercoiled, DNase I and nuclease S_1 sensitivity of the rabbit β_1 globin gene, 195
Polymerase-III-dependent terminator, new, and its evolutionary implication; end-to-end transcription of an *Alu* family repeat, 7
Polymerization of deoxyhemoglobin S, chemical potential measurements; determination of the phase diagram of an assembling protein, 517
Poly(rA)·poly(rU) and poly(rI)·poly(rC), proton exchange and base-pair kinetics, 165
Positive control of transcription initiation in *Escherichia coli*. A base substitution at the Pribnow box renders *ompF* expression independent of a positive regulator, 1
Poteete, A. R. (see also Weaver, L. H.), 739
Powell, S. J. (see also Walker, J. E.), 677
Pribnow box, a base substitution renders *ompF* expression independent of a positive regulator; positive control of transcription initiation in *Escherichia coli*, 1
Primer RNA of *Escherichia coli* DNA synthesis, 45
Promoter mutations affecting divergent transcription in the Tn*10* tetracycline resistance determinant, 599
Protein conformational change and DNA opening, assignment of the corresponding kinetic steps; temperature dependence of the rate constants of the *Escherichia coli* RNA polymerase–λP_R promoter interaction, 441
Protein-binding, *dnaA*, sites in the replication origin of the *Escherichia coli* K-12 chromosome, 529
Proteins, the calculation of electrostatic interactions, 503
Proton exchange and base-pair kinetics of poly(rA)·poly(rU) and poly(rI)·poly(rC), 165
Prouty, M. S., Schechter, A. N. & Parsegian, V. A., Chemical potential measurements of deoxyhemoglobin S polymerization. Determination of the phase diagram of an assembling protein, 517
Pseudogenes and genes for rat U3A and U3B small nuclear RNA, 183
Psoralen and acetylaminofluorene DNA adducts, repair by ABC excinuclease, 725
Psoralen crosslinks detected by electron microscopy. Structure of the *Escherichia coli* 16 S ribosomal RNA, 67
Pyrimidine dimers are not the principal pre-mutagenic lesions induced in lambda phage DNA by ultraviolet light, 577

Rabbit $\beta 1$ globin gene in nuclei and in supercoiled plasmids, DNase I and nuclease S_1 sensitivity, 195
Raftery, L. A. & Yarus, M., Site-specific mutagenesis of *Escherichia coli glyT* yields a weak, glutamic acid-inserting ochre suppressor, 343
Rashin, A. (see also Gilson, M. K.), 503
Rat ribosomal DNA II characterization. Identification of the highly repetitive DNA in the 3′ non-transcribed spacer, 389
Rat tyrosine aminotransferase mRNA, complete complementary DNA; deduction of primary structure of the enzyme, 347
Rat U3A and U3B small nuclear RNA, genes and pseudogenes, 183
Recombinant plasmid and inverted dimer formation in transformation of yeast with linearized plasmid DNA, 375
Recombination, site-specific, Cre-*loxP*, phage P1. Effects of DNA supercoiling on catenation and knotting of recombinant products, 211
Record, M. T., Jr (see also Roe, J.-H.), 441
Refinement of a molecular model for lamprey hemoglobin from *Petromyzon marinus*, 147
Regulation of the phosphate regulon in *Escherichia coli*, nucleotide sequence of the genes involved, 241
Regulation of the phosphate regulon of *Escherichia coli* K-12: regulation and role of the regulatory gene *phoR*, 231
Rennell, D. (see also Weaver, L. H.), 739
Repair of psoralen and acetylaminofluorene DNA adducts by ABC excinuclease, 725
Replication, DNA, discontinuous, in *Escherichia coli* is primed by approximately 10 to 12 residues of RNA starting with a purine, 45
Replication origin of the *Escherichia coli* K-12 chromosome, sites of *dnaA* protein-binding, 529
RNA, nuclear, small, genes and pseudogenes for rat U3A and U3B, 183
RNA polymerase–λP_R interaction, temperature dependence of the rate constants; assignment of kinetic steps corresponding to protein conformational change and DNA opening, 441
RNA, primer, of *Escherichia coli* DNA synthesis, 45
RNA, 16 S ribosomal, *Escherichia coli*, structure. Psoralen crosslinks and *N*-acetyl-*N*′-(*p*-glyoxylylbenzoyl)cystamine crosslinks detected by electron microscopy, 67
RNA, 16 S ribosomal, *Escherichia coli*, three-dimensional arrangement, 53
RNA splicing in *Neurospora* mitochondria. Defective splicing of mitochondrial mRNA precursors in the nuclear mutant *cyt18-1*, 413
Ribosomal DNA II, rat, characterization; identification of the highly repetitive DNA in the 3′ non-transcribed spacer, 389
Ribosomal genes, increased expression during inhibition of ribosome assembly in *Escherichia coli*, 23
Ribosomal 16 S RNA, *Escherichia coli*, structure. Psoralen crosslinks and *N*-acetyl-*N*′-(*p*-glyoxylylbenzoyl)cystamine crosslinks detected by electron microscopy, 67
Ribosomal 16 S RNA, *Escherichia coli*, three-dimensional arrangement, 53
Robson, R. M. (see also Yamaguchi, M.), 621
Rockenbach, S. (see also Yi, Q.-M.), 399
Roe, J.-H., Burgess, R. R. & Record, M. T., Jr, Temperature dependence of the rate constants of the *Escherichia coli* RNA polymerase–λP_R promoter interaction. Assignment of the kinetic steps corresponding to protein conformational change and DNA opening, 441
Roizes, G. (see also Jubier-Maurin, V.), 547
Romby, P., Giegé, R., Houssier, C. & Grosjean, H., Anticodon–anticodon interactions in solution. Studies of the

self-association of yeast or *Escherichia coli* $tRNA^{Asp}$ and of their interactions with *Escherichia coli* $tRNA^{Val}$, 107
Romby, P., Moras, D., Bergdoll, M., Dumas, P., Vlassov, V. V., Westhof, E., Ebel, J. P. & Giegé, R., Yeast $tRNA^{Asp}$ tertiary structure in solution and areas of interaction of the tRNA with aspartyl-tRNA synthetase. A comparative study of the yeast phenylalanine system by phosphate alkylation experiments with ethylnitrosourea, 455
Rotary shadowed vinculin and vinculin complexes, electron microscopy, 543
Rothblum, L. I. (see also Yang-Yen, H.-F.), 389
Ruigrok, R. W. H. (see also Booy, F. P.), 667
Runswick, M. J. (see also Walker, J. E.), 677
Ruppert, S. (see also Müller, G.), 367

S_1 and *Neurospora crassa* nuclease cleavage in hsp 83 gene chromatin, 657
*Saccharomyces cerevisiae cox*1 gene, the first two introns are closely related to an intron in the cytochrome *b* gene of *Schizosaccharomyces pombe*, 353
Salmonella flagella, "cap" on the tip, 735
Sancar, A., Franklin, K. A., Sancar, G. & Tang, M.-s., Repair of psoralen and acetylaminofluorene DNA adducts by ABC excinuclease, 725
Sancar, G. (see also Sancar, A.), 725
Saraste, M. (see also Walker, J. E.), 677
Schechter, A. N. (see also Prouty, M. S.), 517
Schedl, P. (see also Han, S.), 657
Scherer, G. (see also Müller, G.), 367
Schirmer, T., Bode, W. & Huber, R., X-ray crystallographic structure of the light-harvesting biliprotein C-phycocyanin from the thermophilic cyanobacterium *Mastigocladus laminosus* and its resemblance to globin structures, 257
Schizosaccharomyces pombe mitochondrial genome. The cytochrome *b* gene has an intron closely related to the first two introns in the *Saccharomyces cerevisiae cox*1 gene, 353
Schütz, G. (see also Müller, G.), 367
Semenov, T. E. (see also Vengerov, Y. Y.), 251
Sequence, amino acid, microheterogeneities of basic (type II) cytokeratins of *Xenopus laevis* epidermis and evolutionary conservativity of helical and non-helical domains, 713
Sequence, nucleotide, of the genes involved in phosphate transport and regulation of the phosphate regulon in *Escherichia coli*, 241
Sequences, mRNA, β-globin, larval, early, identification; developmental changes in the pattern of larval β-globin gene expression in *Xenopus laevis*, 611
Sequences, signal; the limits of variation, 99
Shen, C.-K. J. (see also Hess, J.), 7
Shimada, J. & Yamakawa, H., Statistical mechanics of DNA topoisomers. The helical worm-like chain, 319
Shinagawa, H. (see also Amemura, M.), 241
Shinagawa, H. (see also Makino, K.), 231
Signal sequences. The limits of variation, 99
Small square (SS) net structure of the narrow Z-line, 644
Sofer, W. (see also Martin, P. F.), 221
Sosinsky, G. E. (see also Baker, T. S.), 81
Spacer, non-transcribed, 3′, identification of the highly repetitive DNA; rat ribosomal DNA II, 389
Splicing, defective, of mitochondrial mRNA precursors in the nuclear mutant *cyt18-1*; RNA splicing in *Neurospora* mitochondria, 413
Springer, M. (see also Mayaux, J.-F.), 31
Stained connexons, image analysis; gap junction structures, 81
Staining, negative, compared with ice-embedding in electron microscopy of influenza virus, 667
Staining, negative, of myosin molecules, 535
Staphyloccocus aureus, effects of sulphate and urea on the stability and reversible unfolding of β-lactamase; implications for the folding pathway of β-lactamase, 331
Starr, R. (see also Bennett, P.), 297
Statistical mechanics of DNA topoisomers. The helical worm-like chain, 319
Stout, C. D. (see also Carter, D. C.), 279
Streltsov, S. A. (see also Vengerov, Y. Y.), 251
Stroke, I. L. & Weiner, A. M., Genes and pseudogenes for rat U3A and U3B small nuclear RNA, 183
Stromer, M. H. (see also Yamaguchi, M.), 621
Structure of α-chymotrypsin refined at 1·68 Å resolution, 703
Structure, compact, of circular DNA; triple rings, 251
Structure of C-protein and X-protein molecules and a polymer of X-protein, 297
Structure, crystal, of *Azotobacter* cytochrome c_5 at 2·5 Å resolution, 279
Structure, crystal, low resolution, of muconolactone isomerase; a decamer with a 5-fold symmetry axis, 311
Structure of the *Escherichia coli* 16 S ribosomal RNA, 53
Structure of the *Escherichia coli* 16 S ribosomal RNA. Psoralen crosslinks and *N*-acetyl-*N*′-(*p*-glyoxylylbenzoyl)cystamine crosslinks detected by electron microscopy, 67
Structure, fine, of wide and narrow vertebrate muscle Z-lines. A proposed model and computer simulation of Z-line architecture, 621
Structure and expression of the cell division genes, *ftsQ*, *ftsA* and *ftsZ*, 399
Structure of phage P22 gene *19* lysozyme inferred from its homology with phage T4 lysozyme. Implications for lysozyme evolution, 739
Structure, primary, of enzyme, deduced from complete complementary DNA of rat tyrosine aminotransferase mRNA, 347
Structure, primary, and subunit stoichiometry of F_1-ATPase from bovine mitochondria, 677
Structure, refined, of α-lytic protease at 1·7 Å resolution. Analysis of hydrogen bonding and solvent structure, 479
Structure, small square net, of the narrow Z-line, 644
Structure, tertiary, of yeast $tRNA^{Asp}$ in solution, and areas of interaction of the tRNA with aspartyl-tRNA synthetase. Comparative study of yeast phenylalanine system by phosphate alkylation experiments with ethylnitrosourea, 455
Structure, X-ray crystallographic, of the light-harvesting biliprotein C-phycocyanin from the thermophilic cyanobacterium *Mastigocladus laminosus* and its resemblance to globin structures, 257
Structures, gap junction; analysis of connexon images obtained with cationic and anionic negative stains, 81
Subrahmanyam, C. S. (see also Yang-Yen, H.-F.), 389
Sulphate and urea, effects on the stability and reversible unfolding of β-lactamase from *Staphylococcus aureus*. Implications for the folding pathway of β-lactamase, 331
Supercoiling, DNA, effects on catenation and knotting of recombinant products; phage P1 Cre-*loxP* site-specific recombination, 211
Supercoiling response of the *lac* p^s promoter *in vitro*, 587

T4 (see also Phage), 739
Takanami, M. (see also Matsui, M.), 529
Takebe, Y., Miura, A., Bedwell, D. M., Tam, M. & Nomura, M., Increased expression of ribosomal genes during inhibition of ribosome assembly in *Escherichia coli*, 23
Tam, M. (see also Takebe, Y.), 23
Tang, M.-s. (see also Sancar, A.), 725
Tarantula muscle, arrangement of the heads of myosin in relaxed thick filaments, 429
Temperature dependence of the rate constants of the *Escherichia coli* RNA polymerase–λP_R promoter interaction. Kinetic steps corresponding to protein conformational change and DNA opening, 441
Tetracycline resistance determinant, Tn*10*, promoter mutations affecting divergent transcription, 599
Tinoco, I., Jr (see also Hess, J.), 7
Tn*10* tetracycline resistance determinant, promoter mutations affecting divergent transcription, 599
Topoisomers, DNA, statistical mechanics; the helical worm-like chain, 319
Torulopsis glabrata, *var1* gene on the mitochondrial genome, 565
Transcription, divergent, in the Tn*10* tetracycline resistance determinant, and promoter mutations, 599
Transcription, end-to-end, of an *Alu* family repeat. A new type of polymerase-III-dependent terminator and its evolutionary implication, 7
Transcription initiation in *Escherichia coli*, positive control; a

base substitution at the Pribnow box renders *ompF* expression independent of a positive regulator, 1
Transfer RNA, aspartic acid, yeast, crystallographic refinement, 119
$tRNA^{Asp}$, yeast or *Escherichia coli*, studies of self-association, and of their interactions with *Escherichia coli* $tRNA^{Val}$; anticodon–anticodon interactions in solution, 107
$tRNA^{Asp}$, yeast, tertiary structure in solution, and areas of interaction of the tRNA with aspartyl-tRNA synthetase. Comparative study of yeast phenylalanine system by phosphate alkylation experiments with ethylnitrosourea, 455
$tRNA^{Val}$, *Escherichia coli*, interactions with yeast or *Escherichia coli* $tRNA^{Asp}$, 107
Transformation of yeast with linearized plasmid DNA. Formation of inverted dimers and recombinant plasmid products, 375
Trinick, J. (see also Walker, M.), 535
Triple rings: a new type of compact structure of circular DNA, 251
Tsukada, H. & Blow, D. M., Structure of α-chymotrypsin refined at 1·68 Å resolution, 703
Tybulewicz, V. L. J. (see also Walker, J. E.), 677
Tyrosine aminotransferase gene, mouse; isolation, characterization and chromosomal mapping, 367
Tyrosine aminotransferase mRNA, rat, complete complementary DNA; deduction of primary structure of the enzyme, 347

U3A and U3B small nuclear RNA, rat, genes and pseudogenes, 183
Udvardy, A. (see also Han, S.), 657
UGA nonsense mutation in the alcohol dehydrogenase gene of *Drosophila melanogaster*, 221
Ultraviolet light and mutagenesis: pyrimidine dimers are not the principal pre-mutagenic lesions induced in lambda phage DNA, 577
Urea and sulphate, effects on the stability and reversible unfolding of β-lactamase from *Staphylococcus aureus*. Implications for the folding pathway of β-lactamase, 331

Van Bruggen, E. F. J. (see also Booy, F. P.), 667
*var*1 gene on the mitochondrial genome of *Torulopsis glabrata*, 565
Variation limits: signal sequences, 99
Vengerov, Y. Y., Semenov, T. E., Streltsov, S. A., Makarov, V. L., Khorlin, A. A. & Gursky, G. V., Triple rings: a new type of compact structure of circular DNA, 251
Vertebrate muscle Z-line fine structure. Proposed model and computer simulation of Z-line architecture, 621
Vibrio succinogenes, preliminary crystallographic study of an L-asparaginase, 179
Vinculin and vinculin complexes, rotary shadowing and electron microscopy, 543
Virus, influenza, electron microscopy; comparison of negatively stained and ice-embedded particles, 667
Vlassov, V. V. (see also Romby, P.), 455

Walker, J. E., Fearnley, I. M., Gay, N. J., Gibson, B. W., Northrop, F. D., Powell, S. J., Runswick, M. J., Saraste, M. & Tybulewicz, V. L. J., Primary structure and subunit stoichiometry of F_1-ATPase from bovine mitochondria, 677
Walker, M., Knight, P. & Trinick, J., Negative staining of myosin molecules, 535
Wang, B.-C. (see also Carter, D. C.), 279
Ward, J. E., Jr (see also Yi, Q.-M.), 399
Weaver, L. H., Rennell, D., Poteete, A. R. & Matthews, B. W., Structure of phage P22 gene *19* lysozyme inferred from its homology with phage T4 lysozyme. Implications for lysozyme evolution, 739
Weiner, A. M. (see also Stroke, I. L.), 183
Weir, B. (see also Hess, J.), 7
Westhof, E., Dumas, P. & Moras, D., Crystallographic refinement of yeast aspartic acid transfer RNA, 119
Westhof, E. (see also Romby, P.), 455
Williams, J. G. (see also Banville, D.), 611
Wlodawer, A. (see also Ammon, H. L.), 179
Wollenzien, P. L., Murphy, R. F., Cantor, C. R., Expert-Bezançon, A. & Hayes, D. H., Structure of the *Escherichia coli* 16 S ribosomal RNA. Psoralen crosslinks and *N*-acetyl-*N'*-(*p*-glyoxylylbenzoyl)cystamine crosslinks detected by electron microscopy, 67
Wollenzien, P. L. (see also Expert-Bezançon, A.), 53
Wood, R. D., Pyrimidine dimers are not the principal pre-mutagenic lesions induced in lambda phage DNA by ultraviolet light, 577
Wu, G. J. (see also Hess, J.), 7
Wyckoff, H. W. (see also Katz, B. A.), 311

Xenopus laevis, developmental changes in the pattern of larval β-globin gene expression; identification of two early β-globin mRNA sequences, 611
Xenopus laevis epidermis, amino acid sequence microheterogeneities of basic (type II) cytokeratins; evolutionary conservativity of helical and non-helical domains, 713
X-protein and C-protein molecules and a polymer of X-protein; structure, 297
X-ray crystallographic structure of the light-harvesting biliprotein C-phycocyanin from the thermophilic cyanobacterium *Mastigocladus laminosus* and its resemblance to globin structures, 257

Yamaguchi, M., Izumimoto, M., Robson, R. M. & Stromer, M. H., Fine structure of wide and narrow vertebrate muscle Z-lines. A proposed model and computer simulation of Z-line architecture, 621
Yamaguchi, M., Hirai, Y., Hage, A., Kamisoyama, H. & Anderson, W. D., Small square (SS) net structure of the narrow Z-line (*Appendix* to Yamaguchi, M. *et al.*, 621), 644
Yamakawa, H. (see also Shimada, J.), 319
Yang-Yen, H.-F., Subrahmanyam, C. S., Cassidy, B. & Rothblum, L. I., Characterization of rat ribosomal DNA II. Identification of the highly repetitive DNA in the 3′ non-transcribed spacer, 389
Yarus, M. (see also Raftery, L. A.), 343
Yasuda, S. (see also Matsui, M.), 529
Yeast aspartic acid tRNA, crystallographic refinement, 119
Yeast or *Escherichia coli* $tRNA^{Asp}$, studies of self-association, and of their interactions with *Escherichia coli* $tRNA^{Val}$; anticodon–anticodon interactions in solution, 107
Yeast $tRNA^{Asp}$ tertiary structure in solution and areas of interaction of the tRNA with aspartyl-tRNA synthetase. Comparative study of yeast phenylalanine system by phosphate alkylation experiments with ethylnitrosourea, 455
Yeast transformation with linearized plasmid DNA. Formation of inverted dimers and recombinant plasmid products, 375
Yi, Q.-M., Rockenbach, S., Ward, J. E., Jr & Lutkenhaus, J., Structures and expression of the cell division genes *ftsQ*, *ftsA* and *ftsZ*, 399
Yoda, K. (see also Kitani, T.), 45

Zentgraf, H. (see also Müller, G.), 367
Z-line, narrow, small square (SS) net structure, 644
Z-lines, vertebrate muscle, fine structure. Model and computer simulation of Z-line architecture, 621